

本製品は日本国法に基づき製造販売されたものです。  
製品および文書は日本国外の法規に準じているわけではありません。  
本文書は、日本語の製品情報を翻訳した文書です。使用前に必ずお読みください。  
また、必要な時に読めるように大切に保管してください。

This product has been manufactured and sold based on Japanese law.  
Neither the product nor this informational leaflet will necessarily conform to the laws of countries outside of Japan.  
This leaflet contains a translation of product information from Japanese. You should read this written explanation before using the product.  
Store this informational leaflet safely so that it can be read when necessary.

# Chocola BB Drink R

Category-3 OTC Drug



## チョコラBB®ドリンクR

For skin roughness and stomatitis

- A pharmaceutical drink that works from inside the body for relief from skin roughness and stomatitis.
- Along with vitamins B2 and B6, which are important for skin care, this product contains orotic acid, glucuronolactone, and nicotinamide.
- 3.7 kcal per bottle
- It is caffeine-free, so you can take it before bed.

---



# Indications



Skin roughness



acne or  
pimples



stomatitis

---

## Relief of the following symptoms

Skin roughness, acne/skin eruption, stomatitis, angular stomatitis (swollen or cracked edges of lips), cheilitis (swollen or cracked lips), dermatitis, eczema, rashes, sores, tongue inflammation, hot flushes of the face associated with rosacea, redness of the eye, and itching of the eye.

Consult with a physician or pharmacist if no improvement is seen in these symptoms after about 1 month of use.

---

## Supplementation of vitamin B<sub>2</sub> in the following cases

When physically fatigued, during pregnancy or lactation, and when physical strength is decreased during and after illness.



# Dosage and Administration

For adults (15 years and over), take 1 bottle (50 mL) once a day.

- Do not give this drug to children (under 15 years).



# Ingredients

## Ingredients per Bottle (50 mL)

---

Ingredient	Content
Vitamin B <sub>2</sub> phosphate ester	38mg
vitamin B <sub>6</sub>	50mg
vitamin B <sub>1</sub> nitrate	10mg
nicotinamide	60mg
orotic acid	60mg
glucuronolactone	300mg

## Additives

---

Sodium benzoate, citric acid, sodium citrate, paraben, flavor, acesulfame potassium, erythritol, sucralose, stevia extract, propyl gallate, DL-malic acid, and pH adjuster (alcohol 0.1 mL or less).

- 1. Ingredients of this product may float or settle out, but this does not affect the efficacy.**
- 2. Taking this drug may cause urine to turn yellow. This is due to the absorption of vitamin B2 contained in the drug, with part of it being excreted in the urine. It is not a cause for concern.**



# Precautions

## ⚠ Precautions for Use

---

### Consultation

1. If the following symptoms are observed after taking this product, these may be adverse reactions, so immediately discontinue the use of this product and consult a physician, pharmacist, or registered salesperson, being sure to take this product with you.

Parts Affected	Symptom
Skin	rash
Gastrointestinal system	stomach discomfort

2. The following symptom may be observed after taking this product. If this symptom persists or worsens, discontinue the use of this product and consult a physician, pharmacist, or registered salesperson, being sure to take this product with you.

Diarrhea.

3. When symptoms do not improve even after using the product for about 1 month, discontinue the use of this product and consult a physician, pharmacist, or registered salesperson, being sure to take this product with you.

### Precautions for Storage and Handling

1. Store in a cool place away from direct sunlight.
2. Keep out of reach of children.
3. Do not transfer to a different container. (It may lead to misuse or alter the quality of the drug.)
4. Do not use the product after the expiration date.



# Packaging and Price

Packaging	Recommended retail price
50mL	330yen, tax included (300yen,tax excluded)
50mL×3	990yen, tax included (900yen,tax excluded)
50mL×10	3,300yen, tax included (3,000yen,tax excluded)
50mL×50	16,500yen, tax included (15,000yen,tax excluded)
50mL×54	17,820yen, tax included (16,200yen,tax excluded)