

本製品は日本国法に基づき製造販売されたものです。
製品および文書は日本国外の法規に準じているわけではありません。
本文書は、日本語の製品情報を翻訳した文書です。使用前に必ずお読みください。
また、必要な時に読めるように大切に保管してください。
This product has been manufactured and sold based on Japanese law.
Neither the product nor this informational leaflet will necessarily conform to the laws of countries outside of Japan.
This leaflet contains a translation of product information from Japanese. You should read this written explanation before using the product.
Store this informational leaflet safely so that it can be read when necessary.



Discovering everything from prevention to cure
Eisai.jp

Category-3 OTC Drug

Relief of skin roughness and stomatitis

チョコラBB[®]ドリンクII

Chocola BB Drink II

- A pharmaceutical drink that works from inside for relief of skin roughness.
- It contains vitamins B₂ and B₆, biotin and nicotinamide, which are important for skin care, plus Yokuinin (coix seed).
- 4.8 kcal per bottle
- It is caffeine-free, so it can be consumed at bedtime.



Package	Recommended retail price (tax included)
50 mL	¥324
50 mL × 3	¥972
50 mL × 10	¥3,240

Related website



Chocola.com (in Japanese)

Indications

Relief of the following symptoms:

Skin roughness, acne, stomatitis, angular stomatitis, canker sores, rashes, sores, eczema, dermatitis, glossitis, rosacea, congestion of the eyes, itchy eyes

Please consult with a physician or pharmacist if no improvement is seen in these symptoms after a month of use.

Supplementation of vitamin B₂ in the following cases:

When physically fatigued, during pregnancy and lactation, or when physically weakened during and after illness

Dosage and Administration

Age	Dosage	Number of doses
Adult (15 years or older)	1bottle (50 mL)	Once a day
Child (Under 15 years)	Do not take this medicine	

Active Ingredients and Actions

Ingredients (per 50 mL bottle)

Ingredient	Amount
Vitamin B ₂ phosphate ester	38 mg
Vitamin B ₆	50 mg
Vitamin B ₁ nitrate	10 mg
Nicotinamide	60 mg
Biotin	500 µg
Yokuinin extract (equivalent to 2600 mg of Yokuinin)	200 mg
Glucuronolactone	200 mg

Inactive Ingredients

Sodium benzoate, ethanol (0.1 mL), citric acid, sodium citrate, paraben, flavor, acesulfame potassium, erythritol, sucralose, refined stevia extract, propyl gallate, povidone, DL-malic acid, pH adjuster

Precautions for Ingredients

Taking this medicine may cause urine to turn bright yellow, but this is due to assimilation of the vitamin B₂ contained in the medicine, with part of it being excreted in the urine. It is not a cause for concern.



Precautions

Consultation

1. If the following symptoms are observed after taking this medicine, these may be adverse reactions to the supplement. Immediately discontinue the use of this medicine and show this informational leaflet to with a physician, pharmacist or registered salesperson for a consultation.

Parts Affected	Symptom
Skin	Rash
Digestive organs	Stomach discomfort

2. The following symptom may be observed appear after taking this medicine. If this symptom persists or worsens, discontinue the use of this medicine and show this informational leaflet to a physician, pharmacist or registered salesperson for a consultation.

Diarrhea

3. If symptoms do not improve even after taking the medicine for about 1 month, stop taking the medicine and consult a physician, pharmacist or registered salesperson, bringing this product with you.

Precautions for Storage and Handling

1. Store sealed in a cool place away from direct sunlight.
2. Keep out of reach of children.
3. Do not transfer to a different container. (It may lead to misuse or alter the quality.)
4. Due to the crude drug extracts contained in this product, cloudiness may be observed; however, there is no change in the effects.
5. Do not take medicine that has exceeded its expiration date.

Contact us: For inquiries, please complete the Contact Form. We will endeavor to respond to you as quickly as possible, although there may be some delay depending on the nature of the inquiry and other factors.

Contact Form (English only): https://inquiry.eisai.co.jp/webapp/form/17672_sdab_2/index.do